Specifications



Suppressor module, TeSys K, RC circuit - 110 to 250V

LA4KA1U

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Device short name	LA4K
Product or Component Type	Suppressor module
Product Compatibility	CA2K LC1K LC7K

Complementary

Mounting Location	Front side
Mounting Mode	Clip-on
Suppressor technology	RC circuit
[Uc] control circuit voltage	110250 V AC
Maximum peak voltage	3 Uc
Local signalling	LED
Quantity per Set	Set of 5
Height	1.02 in (26 mm)
Width	0.2 in (6 mm)
Depth	0.9 in (22 mm)
Net Weight	0.02 lb(US) (0.01 kg)

Environment

Standards	UL 60947-5-1 CSA C22.2 No 60947-5-1 EN/IEC 60947-5-1
Product Certifications	UL CSA CE UKCA
IP degree of protection	IP2XIEC 60529
Protective treatment	TCIEC 60068 TCDIN 50016
Ambient Air Temperature for Operation	-13122 °F (-2550 °C)
Ambient Air Temperature for Storage	-58176 °F (-5080 °C)

Ordering and shipping details

Category

US10I1222341

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Discount Schedule	0112
GTIN	3389110230093
Returnability	Yes
Country of origin	ID

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.31 in (0.800 cm)
Package 1 Width	1.10 in (2.800 cm)
Package 1 Length	1.65 in (4.200 cm)
Package 1 Weight	0.141 oz (4.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	1.10 in (2.800 cm)
Package 2 Width	2.05 in (5.200 cm)
Package 2 Length	1.69 in (4.300 cm)
Package 2 Weight	0.952 oz (27.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	420
Package 3 Height	5.91 in (15.000 cm)
Package 3 Width	5.91 in (15.000 cm)
Package 3 Length	15.75 in (40.000 cm)
Package 3 Weight	5.891 lb(US) (2.672 kg)

Contractual warranty

Warranty

18 months

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

Carbon footprint (kg CO2 eq, Total Life cycle)	1	
Environmental Disclosure	Product Environmental Profile	

Use Better

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant	
REACh Regulation	REACh Declaration	

Use Again

© Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Product data sheet

Technical Illustration

Assembly's dimensions

